

Vitamine D, E, K, A für Abwehrkraft und Gesundheit

Von Dr. med. L.M. Jacob

Literaturverzeichnis:

#VitaminDforAll (2021):

Over 200 Scientists & Doctors Call For Increased Vitamin D Use To Combat COVID-19.

URL: <https://vitamindforall.org/letter.html> (10.03.2021)

Abdel-Rahman MS, Alkady EA, Ahmed S (2015):

Menaquinone-7 as a novel pharmacological therapy in the treatment of rheumatoid arthritis: A clinical study. Eur J Pharmacol; 761: 273-278. DOI: [10.1016/j.ejphar.2015.06.014](https://doi.org/10.1016/j.ejphar.2015.06.014)

Académie nationale de Médecine (2020):

Communiqué de l'Académie nationale de Médecine: Vitamine D et Covid-19. URL: <http://www.academie-medecine.fr/communiquede-lacademie-nationale-de-medecine-vitamine-d-et-covid-19/> (21.10.2020)

AGS Workgroup on Vitamin D Supplementation for Older Adults (2014):

Recommendations abstracted from the American Geriatrics Society Consensus Statement on vitamin D for Prevention of Falls and Their Consequences. J Am Geriatr Soc; 62(1): 147-152. DOI: [10.1111/jgs.12631](https://doi.org/10.1111/jgs.12631)

Ahmad A, Heumann C, Ali R, Oliver T (2021):

Mean Vitamin D levels in 19 European Countries & COVID-19 Mortality over 10 months. medRxiv 2021.03.11.21253361; DOI: [10.1101/2021.03.11.21253361](https://doi.org/10.1101/2021.03.11.21253361)

Alnori H, Alassaf FA, Alfahad M, Qazzaz ME, Jasim M, Abed MN (2020):

Vitamin D and Immunoglobulin E Status in Allergic Rhinitis Patients Compared to Healthy People. J Med Life. 2020;13(4):463-468. DOI: [10.25122/jml-2020-0015](https://doi.org/10.25122/jml-2020-0015)

Aloia JF, Li-Ng M (2007):

Re: epidemic influenza and vitamin D. Epidemiol Infect; 135(7): 1095-1096. DOI: [10.1017/S0950268807008308](https://doi.org/10.1017/S0950268807008308)

Aloia JF, Li-Ng M (2007):

Re: epidemic influenza and vitamin D. Epidemiol Infect; 135(7): 1095-1096. DOI: [10.1017/S0950268807008308](https://doi.org/10.1017/S0950268807008308)

American Geriatrics Society Workgroup on Vitamin D Supplementation for Older Adults (2014):

Recommendations abstracted from the American Geriatrics Society Consensus Statement on vitamin D for Prevention of Falls and Their Consequences. J Am Geriatr Soc; 62(1): 147-152. DOI: [10.1111/jgs.12631](https://doi.org/10.1111/jgs.12631)

Anastasi E, Ialongo C, Labriola R, Ferraguti G, Lucarelli M, Angeloni A (2020):

Vitamin K deficiency and covid-19. Scand J Clin Lab Invest. 2020; 80(7):525-527. DOI: [10.1080/00365513.2020.1805122](https://doi.org/10.1080/00365513.2020.1805122)

Annweiler C, Hanotte B, Grandin de l'Eprevier C et al. (2020):

Vitamin D and survival in COVID-19 patients: A quasi-experimental study. The Journal of steroid biochemistry and molecular biology, 204, 105771. DOI: [10.1016/j.jsbmb.2020.105771](https://doi.org/10.1016/j.jsbmb.2020.105771)

Aponte R, Palacios C (2017):

Vitamin D for prevention of respiratory tract infections. WHO, Juni 2017.

URL: https://www.who.int/elena/titles/commentary/vitamind_pneumonia_children/en/ (02.03.2020)

Baker B, Clark N, Boyan B, Schwartz Z, Ryan J (2015):

The role of 1 α ,25-dihydroxyvitamin D₃ in IgE-mediated mast cell activation (HYP4P.313). J Immunol May 1, 2015, 194 (1 Supplement) 123.12;

BBC (2020):

COVID: Free Vitamin D pills for 2.5 million vulnerable in England. BBC, 28.11.2020. URL: <https://www.bbc.com/news/health-55108613> (10.03.2021)

- Bergman P, Lindh ÅU, Björkhem-Bergman L, Lindh JD (2013):
Vitamin D and Respiratory Tract Infections: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. PLOS One; 8(6): e65835. DOI: [10.1371/journal.pone.0065835](https://doi.org/10.1371/journal.pone.0065835)
- Bergmann KE, Bergmann RL, Richter R, Henrich W, Weichert A (2015a):
Vitamin-D-Mangel bei Kindern- und Jugendlichen in Deutschland (Teil 1). Monatsschrift Kinderheilkunde. 163. [10.1007/s00112-015-3389-5](https://doi.org/10.1007/s00112-015-3389-5).
- Bergmann KE, Bergmann RL, Richter R, Henrich W, Weichert A (2015b).
Vitamin-D-Mangel bei Kindern- und Jugendlichen in Deutschland (Teil 2). Beziehungen zu körperlicher, seelischer und sozialer Gesundheit. Monatsschrift Kinderheilkunde. [10.1007/s00112-015-3390-z](https://doi.org/10.1007/s00112-015-3390-z)
- Beulens JW, Booth SL, van den Heuvel EG et al. (2013):
The role of menaquinones (vitamin K₂) in human health. Br J Nutr; 110(8): 1357-1368. DOI: [10.1017/S0007114513001013](https://doi.org/10.1017/S0007114513001013)
- Biesalski HK (2020):
Vitamin D deficiency and co-morbidities in COVID-19 patients—A fatal relationship? NFS Journal; 20: 10-21. DOI: [10.1016/j.nfs.2020.06.001](https://doi.org/10.1016/j.nfs.2020.06.001)
- Biesalski HK, Bischoff SC, Pirlich M, Weimann A (Hrsg.) (2017):
Ernährungsmedizin. 5., vollständig überarbeitete und erweiterte Auflage. Stuttgart: Thieme. DOI: [10.1055/b-004-132260](https://doi.org/10.1055/b-004-132260)
- Biesalski HK, Bischoff SC, Pirlich M, Weimann A (Hrsg.) (2017):
Ernährungsmedizin. 5., vollständig überarbeitete und erweiterte Auflage. Stuttgart: Thieme. DOI: [10.1055/b-004-132260](https://doi.org/10.1055/b-004-132260)
- Bischoff HA, Stahelin HB, Urscheler N et al. (1999):
Muscle strength in the elderly: its relation to vitamin D metabolites. Arch Phys Med Rehabil; 80(1): 54-58. DOI: [10.1016/s0003-9993\(99\)90307-6](https://doi.org/10.1016/s0003-9993(99)90307-6)
- Bischoff-Ferrari HA, Dawson-Hughes B, Staehelin HB, et al. (2009a):
Fall prevention with supplemental and active forms of vitamin D: a meta-analysis of randomised controlled trials. BMJ; 339: b3692. DOI: [10.1136/bmj.b3692](https://doi.org/10.1136/bmj.b3692)
- Bischoff-Ferrari HA, Willett WC, Wong JB, et al. (2009b):
Prevention of nonvertebral fractures with oral vitamin D and dose dependency: a meta-analysis of randomized controlled trials. Arch Intern Med; 169(6): 551-561. DOI: [10.1001/archinternmed.2008.600](https://doi.org/10.1001/archinternmed.2008.600)
- Bjelakovic G, Gluud LL, Nikolova D, et al. (2014):
Vitamin D supplementation for prevention of mortality in adults. Cochrane Database Syst Rev.; (1): CD007470. DOI: [10.1002/14651858.CD007470.pub3](https://doi.org/10.1002/14651858.CD007470.pub3)
- Booth SL (2012):
Vitamin K: food composition and dietary intakes. Food Nutr Res; 56. DOI: [10.3402/fnr.v56i0.5505](https://doi.org/10.3402/fnr.v56i0.5505)
- Boucher BJ (2020):
Why do so many trials of vitamin D supplementation fail?. *Endocr Connect.* 2020;9(9): R195-R206. DOI: [10.1530/EC-20-0274](https://doi.org/10.1530/EC-20-0274)
- Brenner H (2021):
Vitamin D Supplementation to Prevent COVID-19 Infections and Deaths-Accumulating Evidence from Epidemiological and Intervention Studies Calls for Immediate Action. *Nutrients*; 13(2):411. Published 2021 Jan 28. DOI: [10.3390/nu13020411](https://doi.org/10.3390/nu13020411)
- Brenner H, Holleczeck B, Schöttker B (2020):
Vitamin D Insufficiency and Deficiency and Mortality from Respiratory Diseases in a Cohort of Older Adults: Potential for Limiting the Death Toll during and beyond the COVID-19 Pandemic? *Nutrients*; 12: 2488. DOI: [10.3390/nu12082488](https://doi.org/10.3390/nu12082488)
- Briggs R, McCarroll K, O'Halloran A, Healy M, Kenny RA, Laird E (2018):
Vitamin D Deficiency Is Associated With an Increased Likelihood of Incident Depression in Community-Dwelling Older Adults. *J Am Med Dir Assoc.* DOI: [10.1016/j.jamda.2018.10.006](https://doi.org/10.1016/j.jamda.2018.10.006)

- BVKJ (2014):
Wie viele Infekte sind bei kleinen Kindern noch „normal“? Berufsverband der Kinder- und Jugendärzte e. V., 01.12.2014. URL: <https://www.kinderaerzte-im-netz.de/news-archiv/meldung/article/wie-viele-infekte-sind-normal/> (16.11.2021)
- Calton EK, Keane KN, Newsholme P, Soares MJ (2015):
The Impact of Vitamin D Levels on Inflammatory Status: A Systematic Review of Immune Cell Studies. *PLOS One*; 10(11): e0141770. DOI: [10.1371/journal.pone.0141770](https://doi.org/10.1371/journal.pone.0141770)
- Camargo CA Jr, Ganmaa D, Frazier AL, et al. (2012):
Randomized trial of vitamin D supplementation and risk of acute respiratory infection in Mongolia. *Pediatrics*. 2012;130(3):e561-e567. DOI: [10.1542/peds.2011-3029](https://doi.org/10.1542/peds.2011-3029)
- Cantorna MT, Snyder L, Arora J (2019):
Vitamin A and vitamin D regulate the microbial complexity, barrier function, and the mucosal immune responses to ensure intestinal homeostasis. *Crit Rev Biochem Mol Biol*;54(2):184-192. DOI: [10.1080/10409238.2019.1611734](https://doi.org/10.1080/10409238.2019.1611734)
- Chandler PD, Chen WY, Ajala ON, et al. (2020):
Effect of Vitamin D3 Supplements on Development of Advanced Cancer: A Secondary Analysis of the VITAL Randomized Clinical Trial. *JAMA Netw Open*. 2020;3(11):e2025850. Published 2020 Nov 2. DOI: [10.1001/jamanetworkopen.2020.25850](https://doi.org/10.1001/jamanetworkopen.2020.25850)
- Charan J, Goyal JP, Saxena D, Yadav P (2012):
Vitamin D for prevention of respiratory tract infections: A systematic review and meta-analysis. *J Pharmacol Pharmacother*. 2012;3(4):300-303. DOI: [10.4103/0976-500X.103685](https://doi.org/10.4103/0976-500X.103685)
- Charoenngam N, Holick MF (2020):
Immunologic Effects of Vitamin D on Human Health and Disease. *Nutrients*. 2020;12(7):2097. Published 2020 Jul 15. DOI: [10.3390/nu12072097](https://doi.org/10.3390/nu12072097)
- Chen TC, Lu Z, Holick MF (2010):
Photobiology of Vitamin D. In: Holick MF (Hrsg.): *Physiology, Molecular Biology, and Clinical Applications*. Part I: Introduction and Basic Biology. Chapter 2. 35-60.
- Cheung K, Hume P, Maxwell L (2003):
Delayed onset muscle soreness : treatment strategies and performance factors. *Sports Med*; 33(2): 145-164. DOI: [10.2165/00007256-200333020-00005](https://doi.org/10.2165/00007256-200333020-00005)
- Cockayne S, Adamson J, Lanham-New S et al. (2006):
Vitamin K and the prevention of fractures: systematic review and meta-analysis of randomized controlled trials. *Arch Intern Med*; 166(12): 1256-1261. DOI: [10.1001/archinte.166.12.1256](https://doi.org/10.1001/archinte.166.12.1256)
- Confino-Cohen R, Brufman I, Goldberg A, Feldman BS (2014):
Vitamin D, asthma prevalence and asthma exacerbations: a large adult population-based study. *Allergy*. 2014;69(12):1673-1680. DOI: [10.1111/all.12508](https://doi.org/10.1111/all.12508)
- Consejería de Salud y Familias (2020):
Salud tratará con Calcifediol a ancianos en residencias para atenuar los efectos del Covid. Junta de Andalucía, 10.11.2020. URL: <https://www.juntadeandalucia.es/organismos/saludyfamilias/servicios/actualidad/noticias/detalle/246349.html> (04.08.2021)
- D'Avolio A, Avataneo V, Manca A et al. (2020):
25-Hydroxyvitamin D Concentrations Are Lower in Patients with Positive PCR for SARS-CoV-2. *Nutrients*; 12(5). pii: E1359. DOI: [10.3390/nu12051359](https://doi.org/10.3390/nu12051359)
- Dancer RCA, Parekh D, Lax S, et al. (2015):
Vitamin D deficiency contributes directly to the acute respiratory distress syndrome (ARDS). *Thorax*; 70(7): 617-624. DOI: [10.1136/thoraxjnl-2014-206680](https://doi.org/10.1136/thoraxjnl-2014-206680)
- Daneshkhah A, Agrawal V, Eshein A et al. (2020):
The Possible Role of Vitamin D in Suppressing Cytokine Storm and Associated Mortality in COVID-19 Patients. *MedRxiv*; DOI: [10.1101/2020.04.08.20058578](https://doi.org/10.1101/2020.04.08.20058578)

- de Benedictis FM, Bush A (2018): Recurrent lower respiratory tract infections in children. *BMJ*. 2018;362:k2698. Published 2018 Jul 12. doi: [10.1136/bmj.k2698](https://doi.org/10.1136/bmj.k2698)
- Desai AP, Dirajlal-Fargo S, Durieux JC et al. (2021): Vitamin K & D Deficiency Are Independently Associated With Covid-19 Disease Severity, *Open Forum Infectious Diseases*, 2021; ofab408, <https://doi.org/10.1093/ofid/ofab408>
- Deutsche Apotheker Zeitung (2013): Vitamin D und das Allergierisiko. *DAZ*. URL: <https://www.deutsche-apotheker-zeitung.de/daz-az/2013/daz-11-2013/vitamin-d-und-das-allergierisiko> (08.04.21).
- DGE (2012a): Vitamin D (Calciferole), Referenzwerte. <https://www.dge.de/wissenschaft/referenzwerte/vitamin-d/> (16.11.2021)
- DGE (2021b): Neue Referenzwerte für Vitamin D. Presseinformation der Deutschen Gesellschaft für Ernährung e.V., 10.01.2012. URL: <https://www.dge.de/uploads/media/DGE-Pressemeldung-aktuell-01-2012-Vitamin-D.pdf> (16.11.2021)
- DGE (Deutsche Gesellschaft für Ernährung e. V.) (2000): Referenzwerte für die Nährstoffzufuhr. URL: <https://www.dge.de/wissenschaft/referenzwerte/vitamin-k/> (09.12.2021).
- Diekmann R (2010): Nutritional situation and functionality in nursing home residents – Results of a 12-month follow-up study. Dissertation Universität Bonn
- Dofferhoff ASM, Piscaer I, Schurgers LJ et al. (2020): Reduced Vitamin K Status as a Potentially Modifiable Prognostic Risk Factor in COVID-19. *Clinical Infectious Diseases*, ciaa1258, DOI: [10.1093/cid/ciaa1258](https://doi.org/10.1093/cid/ciaa1258)
- Dowthwaite JN, Scerpella TA (2009): Skeletal geometry and indices of bone strength in artistic gymnasts. *J Musculoskelet Neuronal Interact*; 9(4): 198-214.
- Dror AA, Morozov N, Daoud A, et al. (2022): Pre-infection 25-hydroxyvitamin D3 levels and association with severity of COVID-19 illness. *PLoS One*. 2022;17(2):e0263069. DOI: [10.1371/journal.pone.0263069](https://doi.org/10.1371/journal.pone.0263069)
- Ebhardt T, Bertacche M (2020): Italy Says 96% of Virus Fatalities Suffered From Other Illnesses. *Bloomberg*, 26.05.2020. URL: <https://www.bloomberg.com/news/articles/2020-05-26/italy-says-96-of-virus-fatalities-suffered-from-other-illnesses> (21.10.2020)
- Eerme K, Aun M, Veismann U (2015): Instrumentation and measurement of ground-level ultraviolet irradiance and spectral composition in Estonia. Chapter 6. In: Bello SR (Hrsg.): *Solar Radiation Applications*. 119-139.
- EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA) (2012): Scientific Opinion on the Tolerable Upper Intake Level of vitamin D. *EFSA Journal*; 10(7): 2813. URL: <https://efsa.onlinelibrary.wiley.com/doi/pdf/10.2903/j.efsa.2012.2813> (30.09.2021)
- Egan E, Reilly T, Giacomoni M, Redmond L, Turner C (2006): Bone mineral density among female sports participants. *Bone*; 38(2): 227-233. DOI: [10.1016/j.bone.2005.08.024](https://doi.org/10.1016/j.bone.2005.08.024)
- Entrenas Castillo M, Entrenas Costa LM, Vaquero Barrios JM, et al. (2020): Effect of calcifediol treatment and best available therapy versus best available therapy on intensive care unit admission and mortality among patients hospitalized for COVID-19: A pilot randomized clinical study. *The Journal of steroid biochemistry and molecular biology*, 203, 105751. DOI: [10.1016/j.jsbmb.2020.105751](https://doi.org/10.1016/j.jsbmb.2020.105751)
- Eyles DW, Trzaskowski M, Vinkhuyzen AAE, et al. (2018): The association between neonatal vitamin D status and risk of schizophrenia. *Sci Rep*. 2018;8(1):17692. Published 2018 Dec 6. DOI: [10.1038/s41598-018-35418-z](https://doi.org/10.1038/s41598-018-35418-z)

Fachgruppe COVRIIN (2021):

Medikamentöse Therapie bei COVID-19 mit Bewertung durch die Fachgruppe COVRIIN am Robert Koch-Institut. Robert-Koch-Institut, 05.10.2021. URL:

https://www.rki.de/DE/Content/InfAZ/N/Neuartiges_Coronavirus/COVRIIN_Dok/Therapieuebersicht.pdf?blob=publicationFile (06.09.2021)

Forrest KYZ, Stuhldreher WL (2011):

Prevalence and correlates of vitamin D deficiency in US adults. Nutrition Research; 31 (1): 48-54. DOI:

[10.1016/j.nutres.2010.12.001](https://doi.org/10.1016/j.nutres.2010.12.001)

Frassetto LA, Morris RC Jr, Sebastian A (1996):

Effect of age on blood acid-base composition in adult humans: role of age-related renal functional decline.

Am J Physiol; 271(6 Pt 2): F1114-F1122. DOI: [10.1152/ajprenal.1996.271.6.F1114](https://doi.org/10.1152/ajprenal.1996.271.6.F1114)

Friedrich M, Reichert K, Woeste A et al. (2018):

Effects of Combined Treatment with Vitamin D and COX2 Inhibitors on Breast Cancer Cell Lines. Anticancer

Res; 38(2): 1201-1207. DOI: [10.21873/anticancer.12340](https://doi.org/10.21873/anticancer.12340)

Fujita Y, Iki M, Tamaki J et al. (2012):

Association between vitamin K intake from fermented soybeans, natto, and bone mineral density in elderly

Japanese men: the Fujiwara-kyo Osteoporosis Risk in Men (FORMEN) study. Osteoporos Int; 23(2): 705-714.

DOI: [10.1007/s00198-011-1594-1](https://doi.org/10.1007/s00198-011-1594-1)

Gast GC, de Roos NM, Sluijs I et al. (2009):

A high menaquinone intake reduces the incidence of coronary heart disease. Nutr Metab Cardiovasc Dis;

19(7): 504-510. DOI: [10.1016/j.numecd.2008.10.004](https://doi.org/10.1016/j.numecd.2008.10.004)

Geleijnse JM, Vermeer C, Grobbee DE et al. (2004):

Dietary intake of menaquinone is associated with a reduced risk of coronary heart disease: the Rotterdam

Study. J Nutr; 134(11): 3100-3105. DOI: [10.1093/jn/134.11.3100](https://doi.org/10.1093/jn/134.11.3100)

Genuis SJ, Bouchard TP (2012):

Combination of Micronutrients for Bone (COMB) Study: bone density after micronutrient intervention. J

Environ Public Health; 2012: 354151. DOI: [10.1155/2012/354151](https://doi.org/10.1155/2012/354151)

Girvan G, Roy A (2020):

Nursing Homes & Assisted Living Facilities Account for 38% of COVID-19 Deaths. The Foundation for

Research on Equal Opportunity (FREOPP), 07.05.2020. URL: <https://freopp.org/the-covid-19-nursing-home-crisis-by-the-numbers-3a47433c3f70> (20.07.2021)

Godar DE, Landry RJ, Lucas AD (2009):

Increased UVA exposures and decreased cutaneous Vitamin D(3) levels may be responsible for the

increasing incidence of melanoma. Med Hypotheses; 72(4): 434-443. DOI: [10.1016/j.mehy.2008.09.056](https://doi.org/10.1016/j.mehy.2008.09.056)

Goddek S (2020):

Vitamin D3 and K2 and their potential contribution to reducing the COVID-19 mortality rate. International

Journal of Infectious Diseases; 99: 286-290. DOI: [10.1016/j.ijid.2020.07.080](https://doi.org/10.1016/j.ijid.2020.07.080)

Grant WB, Lahore H, McDonnell SL et al. (2020):

Evidence that Vitamin D Supplementation Could Reduce Risk of Influenza and COVID-19 Infections and

Deaths. Nutrients; 12(4): E988. DOI: [10.3390/nu12040988](https://doi.org/10.3390/nu12040988)

Gröber U (2019):

Vitamin A (Retinol). Zeitschrift für Orthomolekulare Medizin 2019; 17(02): 44-49. DOI: [10.1055/a-0920-2443](https://doi.org/10.1055/a-0920-2443)

Gröber U, Holick MF (2021):

The coronavirus disease (COVID-19) - A supportive approach with selected micronutrients [published online

ahead of print, 2021 Jan 25]. Int J Vitam Nutr Res. 2021;1-22. DOI: [10.1024/0300-9831/a000693](https://doi.org/10.1024/0300-9831/a000693)

Gröber U, Holzhauser P, Kisters K (2020):

Immunrelevante Mikronährstoffe bei viralen Atemwegsinfektionen. DZO; 52: 51-56. DOI: [10.1055/a-1162-](https://doi.org/10.1055/a-1162-2469)

[2469](https://doi.org/10.1055/a-1162-2469)

- Gröber U, Reichrath J, Holick MF, Kisters K (2015):
Vitamin K: an old vitamin in a new perspective. *Dermatoendocrinol*; 6(1): e968490. DOI: [10.4161/19381972.2014.968490](https://doi.org/10.4161/19381972.2014.968490)
- Gröber U, Spitz J, Holick MF, Wacker M, Kisters K (2013):
Vitamin D: Update 2013: Von der Rachitis-Prophylaxe zur allgemeinen Gesundheitsvorsorge. *Deutsche Apotheker Zeitung*; 153(15): 1518-1526.
URL: <https://www.deutsche-apotheker-zeitung.de/daz-az/2013/daz-15-2013/von-der-rachitis-prophylaxe-zur-allgemeinen-gesundheitsvorsorge> (30.09.2021)
- Halder M, Petsophonsakul P, Akbulut AC, et al. (2019):
Vitamin K: Double Bonds beyond Coagulation Insights into Differences between Vitamin K1 and K2 in Health and Disease. *Int J Mol Sci*; 20(4):896. DOI: [10.3390/ijms20040896](https://doi.org/10.3390/ijms20040896)
- Han JE, Jones JL, Tangpricha V et al. (2016):
High Dose Vitamin D Administration in Ventilated Intensive Care Unit Patients: A Pilot Double Blind Randomized Controlled Trial. *J Clin Transl Endocrinol*; 4: 59-65. DOI: [10.1016/j.jcte.2016.04.004](https://doi.org/10.1016/j.jcte.2016.04.004)
- Hancocks N (2020):
COVID-19: Scientists raise the vitamin D alarm. 08.10.2020.
URL: <https://www.nutraingredients.com/Article/2020/10/01/COVID-19-Scientists-raise-the-vitamin-D-alarm> (06.10.2020)
- Handelman GJ, Machlin LJ, Fitch K, Weiter JJ, Dratz EA (1985):
Oral alpha-tocopherol supplements decrease plasma gamma-tocopherol levels in humans. *J Nutr*; 115(6):807-13. DOI: [10.1093/jn/115.6.807](https://doi.org/10.1093/jn/115.6.807)
- Hattangdi-Haridas SR, Lanham-New SA, Wong WHS et al. (2019):
Vitamin D Deficiency and Effects of Vitamin D Supplementation on Disease Severity in Patients with Atopic Dermatitis: A Systematic Review and Meta-Analysis in Adults and Children. *Nutrients*. 2019;11(8):1854. Published 2019 Aug 9. DOI: [10.3390/nu11081854](https://doi.org/10.3390/nu11081854)
- Hattangdi-Haridas SR, Lanham-New SA, Wong WHS, Ho MHK, Darling AL (2019):
Vitamin D Deficiency and Effects of Vitamin D Supplementation on Disease Severity in Patients with Atopic Dermatitis: A Systematic Review and Meta-Analysis in Adults and Children. *Nutrients*;11(8):1854. Published 2019 Aug 9. DOI: [10.3390/nu11081854](https://doi.org/10.3390/nu11081854)
- Heaney RP, Armas LA, Shary JR, Bell NH, Binkley N, Hollis BW (2008):
25-Hydroxylation of vitamin D3: relation to circulating vitamin D3 under various input conditions. *Am J Clin Nutr*; 87(6):1738-1742. DOI: [10.1093/ajcn/87.6.1738](https://doi.org/10.1093/ajcn/87.6.1738)
- Helfrich YR, Kang S, Elalieh HZ et al. (2007):
Injury Enhances TLR2 Function and Antimicrobial Peptide Expression Through a Vitamin D Dependent Mechanism. *J Clin Invest*; 117: 803-811. DOI: [10.1172/JCI30142](https://doi.org/10.1172/JCI30142)
- Helzlsouer KJ, Huang HY, Alberg AJ et al. (2000):
Association between alpha-tocopherol, gamma-tocopherol, selenium, and subsequent prostate cancer. *J Natl Cancer Inst*; 92(24): 2018-2023. DOI: [10.1093/jnci/92.24.2018](https://doi.org/10.1093/jnci/92.24.2018)
- Hemery YM, Fontan L, Moench-Pfanner R et al. (2015):
Influence of light exposure and oxidative status on the stability of vitamins A and D₃ during the storage of fortified soybean oil. *Food Chem*; 184: 90-98. DOI: [10.1016/j.foodchem.2015.03.096](https://doi.org/10.1016/j.foodchem.2015.03.096)
- Hintzpeter B, Scheidt-Nave C, Müller MJ, Schenk L, Mensink GB (2008):
Higher prevalence of vitamin D deficiency is associated with immigrant background among children and adolescents in Germany. *J Nutr*. 2008;138(8):1482-1490. DOI: [10.1093/jn/138.8.1482](https://doi.org/10.1093/jn/138.8.1482)
- Holick MF (2004):
Vitamin D: importance in the prevention of cancers, type 1 diabetes, heart disease, and osteoporosis. *Am J Clin Nutr*; 79: 362–371. DOI: [10.1093/ajcn/79.3.362](https://doi.org/10.1093/ajcn/79.3.362)
- Holick MF, Binkley NC, Bischoff-Ferrari HA, et al. (2011):
Evaluation, treatment, and prevention of vitamin D deficiency: an Endocrine Society clinical practice

- guideline [published correction appears in *J Clin Endocrinol Metab.* 2011 Dec;96(12):3908]. *J Clin Endocrinol Metab.* 2011;96(7):1911-1930. DOI: [10.1210/jc.2011-0385](https://doi.org/10.1210/jc.2011-0385)
- Holick MF, Binkley NC, Bischoff-Ferrari HA, et al. (2011):
Evaluation, treatment, and prevention of vitamin D deficiency: an Endocrine Society clinical practice guideline *J Clin Endocrinol Metab*; 96(7): 1911–1930 [published correction appears in *J Clin Endocrinol Metab*; 96(12): 3908]. DOI: [10.1210/jc.2011-0385](https://doi.org/10.1210/jc.2011-0385)
- Hong YM (2010):
Atherosclerotic cardiovascular disease beginning in childhood. *Korean Circ J*; 40(1): 1-9. DOI: [10.1007/s11886-020-01332-y](https://doi.org/10.1007/s11886-020-01332-y)
- Huang HY, Appel LJ (2003):
Supplementation of diets with alpha-tocopherol reduces serum concentrations of gamma- and delta-tocopherol in humans. *J Nutr*; 133(10):3137-40. DOI: [10.1093/jn/133.10.3137](https://doi.org/10.1093/jn/133.10.3137)
- Huang L, Yao Q, Gu X, et al. (2021):
1-year outcomes in hospital survivors with COVID-19: a longitudinal cohort study. *Lancet.* 2021;398(10302):747-758. DOI: [10.1016/S0140-6736\(21\)01755-4](https://doi.org/10.1016/S0140-6736(21)01755-4)
- Hyppönen E, Läärä E, Reunanen A, Järvelin MR, Virtanen SM (2001):
Intake of vitamin D and risk of type 1 diabetes: a birth-cohort study. *Lancet*; 358(9292):1500-1503. DOI: [10.1016/S0140-6736\(01\)06580-1](https://doi.org/10.1016/S0140-6736(01)06580-1)
- Ikeda Y, Iki M, Morita A et al. (2006):
Intake of fermented soybeans, natto, is associated with reduced bone loss in postmenopausal women: Japanese Population-Based Osteoporosis (JPOS) Study. *J Nutr*; 136(5): 1323-1328. DOI: [10.1093/jn/136.5.1323](https://doi.org/10.1093/jn/136.5.1323)
- Ilie PC, Stefanescu S, Smith L (2020):
The Role of Vitamin D in the Prevention of Coronavirus Disease 2019 Infection and Mortality. *Aging Clin Exp Res* 32, 1195–1198 (2020). DOI: [10.1007/s40520-020-01570-8](https://doi.org/10.1007/s40520-020-01570-8)
- Illescas-Montes R, Melguizo-Rodríguez L, Ruiz C, Costela-Ruiz VJ (2019):
Vitamin D and autoimmune diseases. *Life Sci.* 2019; 233:116744. DOI: [10.1016/j.lfs.2019.116744](https://doi.org/10.1016/j.lfs.2019.116744)
- Institut für Qualität und Wirtschaftlichkeit im Gesundheitswesen (IQWiG) (2020): Allergien.
gesundheitsinformation.de. URL: <https://www.gesundheitsinformation.de/allergien.html> (12.04.2021).
- International Scientists Panel (2015):
Scientists' Call to D*actionThe Vitamin D Deficiency Epidemic. A Consortium of Scientists, Institutions and Individuals Committed to Solving the Worldwide Vitamin D Deficiency Epidemic. GrassrootsHealth, 16.10.2015.
URL: https://www.grassrootshealth.net/wp-content/uploads/2017/12/scientists_call-to-daction_121817.pdf?_ga=2.207631826.1732466458.1601989407-54612969.1601989407 (29.09.2021)
- Jacob LM (2013):
Dr. Jacobs Weg des genussvollen Verzichts: Die effektivsten Maßnahmen zur Prävention und Therapie von Zivilisationskrankheiten. 4. Auflage. Nutricamedia, Heidesheim am Rhein.
- Jaffe-Hoffman (2020):
Vitamin D deficiency linked to increased risk for COVID-19. The Health Ministry has been recommending vitamin D since the outbreak of the pandemic. *The Jerusalem Post*, 13.10.2020. URL: <https://www.jpost.com/health-science/vitamin-d-deficiency-linked-to-increased-risk-for-covid-19-645459> (19.07.2021)
- Janssen R, Visser MPJ, Dofferhoff ASM, Vermeer C, Janssens W, Walk J (2020):
Vitamin K metabolism as the potential missing link between lung damage and thromboembolism in Coronavirus disease 2019. *Br J Nutr.* 2021;126(2):191-198. doi: [10.1017/S0007114520003979](https://doi.org/10.1017/S0007114520003979)
- Jerzynska J, Stelmach W, Rychlik B, Lechańska J, Podlecka D, Stelmach I (2016):
The clinical effect of vitamin D supplementation combined with grass-specific sublingual immunotherapy in children with allergic rhinitis. *Allergy Asthma Proc*;37(2):105-114. DOI: [10.2500/aap.2016.37.3921](https://doi.org/10.2500/aap.2016.37.3921)

- Jolliffe DA, Greenberg L, Hooper RL, et al. (2016):
Vitamin D to prevent exacerbations of COPD: systematic review and meta-analysis of individual participant data from randomised controlled trials. *Thorax*. 2019;74(4):337-345. DOI: [10.1136/thoraxjnl-2018-212092](https://doi.org/10.1136/thoraxjnl-2018-212092)
- Jolliffe DA, Greenberg L, Hooper RL, et al. (2017):
Vitamin D supplementation to prevent asthma exacerbations: a systematic review and meta-analysis of individual participant data [published correction appears in *Lancet Respir Med*. 2018 Jun;6(6):e27]. *Lancet Respir Med*; 5(11):881-890. DOI: [10.1016/S2213-2600\(17\)30306-5](https://doi.org/10.1016/S2213-2600(17)30306-5)
- Kaneki M, Hodges SJ, Hosoi T et al. (2001):
Japanese fermented soybean food as the major determinant of the large geographic difference in circulating levels of vitamin K2: possible implications for hip-fracture risk. *Nutrition*; 17(4): 315-321. DOI: [10.1016/S0899-9007\(00\)00554-2](https://doi.org/10.1016/S0899-9007(00)00554-2)
- Kaufman HW, Niles JK, Kroll MH, Bi C, Holick MF (2020):
SARS-CoV-2 positivity rates associated with circulating 25-hydroxyvitamin D levels. *PLoS One*.15(9): e0239252. DOI: [10.1371/journal.pone.0239252](https://doi.org/10.1371/journal.pone.0239252).
- Kim G, Bae JH. Vitamin D and atopic dermatitis: A systematic review and meta-analysis. *Nutrition*; 32(9):913-920. DOI: [10.1016/j.nut.2016.01.023](https://doi.org/10.1016/j.nut.2016.01.023)
- Knapen MH, Braam LA, Drummen NE, Bekers O, Hoeks AP, Vermeer C (2015):
Menaquinone-7 supplementation improves arterial stiffness in healthy postmenopausal women. A double-blind randomised clinical trial. *Thromb Haemost*; 113(5): 1135-1144. DOI: [10.1160/TH14-08-0675](https://doi.org/10.1160/TH14-08-0675)
- Knapen MH, Drummen NE, Smit E, Vermeer C, Theuwissen E (2013):
Three-year low-dose menaquinone-7 supplementation helps decrease bone loss in healthy postmenopausal women. *Osteoporos Int*; 24(9): 2499-2507. DOI: [10.1007/s00198-013-2325-6](https://doi.org/10.1007/s00198-013-2325-6)
- Kohrt WM, Bloomfield SA, Little KD, Nelson ME, Yingling VR; American College of Sports Medicine (2004):
American College of Sports Medicine Position Stand: physical activity and bone health. *Med Sci Sports Exerc*; 36(11): 1985-1996. DOI: [10.1249/01.mss.0000142662.21767.58](https://doi.org/10.1249/01.mss.0000142662.21767.58)
- Kunz C, Hower J, Knoll A, Ritzenthaler KL, Lamberti T (2019):
No improvement in vitamin D status in German infants and adolescents between 2009 and 2014 despite public recommendations to increase vitamin D intake in 2012. *Eur J Nutr*. 2019;58(4):1711-1722. DOI: [10.1007/s00394-018-1717-y](https://doi.org/10.1007/s00394-018-1717-y)
- Kunz C, Zittermann A (2015):
Vitamin D im Kindes- und Jugendalter in Deutschland. Dringlichkeit und Probleme der Umsetzung von Zufuhrempfehlungen. *Monatsschr Kinderheilkd*; 163: 776–782. DOI: [10.1007/s00112-014-3290-7](https://doi.org/10.1007/s00112-014-3290-7)
- Langen U, Schmitz R, Steppuhn H (2013):
Häufigkeit allergischer Erkrankungen in Deutschland. Ergebnisse der Studie zur Gesundheit Erwachsener in Deutschland (DEGS1). *Bundesgesundheitsbl*; (56):698–706. doi: [10.1007/s00103-012-1652-7](https://doi.org/10.1007/s00103-012-1652-7).
- Li YC (2011):
Vitamin D and the Renin-Angiotensin System. In: *Vitamin D (Third Edition)*. Academic Press. Chapter 40, 707-723.
- Linneberg A, Kampmann FB, Israelsen SB, et al. (2021):
The Association of Low Vitamin K Status with Mortality in a Cohort of 138 Hospitalized Patients with COVID-19. *Nutrients*. 2021;13(6):1985. Published 2021 Jun 9. DOI: [10.3390/nu13061985](https://doi.org/10.3390/nu13061985)
- Liu J, Li S, Liu J, et al. (2020):
Longitudinal characteristics of lymphocyte responses and cytokine profiles in the peripheral blood of SARS-CoV-2 infected patients. *EBioMedicine*; 55:102763. DOI: [10.1016/j.ebiom.2020.102763](https://doi.org/10.1016/j.ebiom.2020.102763)
- Loucera C, Peña-Chilet M, Esteban-Medina M, et al. (2021):
Real world evidence of calcifediol use and mortality rate of COVID-19 hospitalized in a large cohort of 16,401 Andalusian patients. *medRxiv* 2021.04.27.21255937; DOI: <https://doi.org/10.1101/2021.04.27.21255937>

- Luxwolda MF, Kuipers RS, Kema IP et al. (2013):
Vitamin D status indicators in indigenous populations in East Africa. *Eur J Nutr*; 52(3): 1115-1125. DOI: [10.1007/s00394-012-0421-6](https://doi.org/10.1007/s00394-012-0421-6)
- Luxwolda MF, Kuipers RS, Kema IP, Dijck-Brouwer DA, Muskiet FA (2012):
Traditionally living populations in East Africa have a mean serum 25-hydroxyvitamin D concentration of 115 nmol/l. *Br J Nutr*; 108(9): 1557-1561. DOI: [10.1017/S0007114511007161](https://doi.org/10.1017/S0007114511007161)
- Mai XM, Chen Y, Camargo CA Jr, Langhammer A (2012):
Cross-sectional and prospective cohort study of serum 25-hydroxyvitamin D level and obesity in adults: the HUNT study. *Am J Epidemiol*; 175(10): 1029-1036. DOI: [10.1093/aje/kwr456](https://doi.org/10.1093/aje/kwr456)
- Mann EH, Chambers ES, Pfeffer PE, Hawrylowicz CM (2014):
Immunoregulatory mechanisms of vitamin D relevant to respiratory health and asthma. *Ann N Y Acad Sci*; 1317:57-69. DOI: [10.1111/nyas.12410](https://doi.org/10.1111/nyas.12410)
- Martineau AR, Jolliffe DA, Hooper RL, et al. (2017):
Vitamin D supplementation to prevent acute respiratory tract infections: systematic review and meta-analysis of individual participant data. *BMJ*; 356: i6583. DOI: [10.1136/bmj.i6583](https://doi.org/10.1136/bmj.i6583)
- Martineau AR, Jolliffe DA, Hooper RL, et al. (2017):
Vitamin D supplementation to prevent acute respiratory tract infections: systematic review and meta-analysis of individual participant data. *BMJ*; 356: i6583. DOI: [10.1136/bmj.i6583](https://doi.org/10.1136/bmj.i6583)
- McDonnell SL, Baggerly C, French CB, et al. (2016):
Serum 25-Hydroxyvitamin D Concentrations ≥ 40 ng/ml Are Associated with $>65\%$ Lower Cancer Risk: Pooled Analysis of Randomized Trial and Prospective Cohort Study. *PLoS One*; 11(4): e0152441. DOI: [10.1371/journal.pone.0201078](https://doi.org/10.1371/journal.pone.0201078)
- McDonnell SL, Baggerly CA, French CB, et al. (2018):
Breast cancer risk markedly lower with serum 25-hydroxyvitamin D concentrations ≥ 60 vs <20 ng/ml (150 vs 50 nmol/L): Pooled analysis of two randomized trials and a prospective cohort. *PLoS One*; 13(6): e0199265. DOI: [10.1371/journal.pone.0199265](https://doi.org/10.1371/journal.pone.0199265)
- Mehta DS, Vaidya RA, Dound YA, Nabar NS, Pandey SN, Vaidya ADB (2010):
Therapeutic activity and safety of vitamin K2-7 in muscle cramps: An interventional case-series. *The Ind Pract*; 63(5): 287-291.
- Meltzer DO, Best TJ, Zhang H, Vokes T, Arora V, Solway J (2020):
Association of Vitamin D Status and Other Clinical Characteristics With COVID-19 Test Results. *JAMA Netw Open*; 3(9):e2019722. DOI: [10.1001/jamanetworkopen.2020.19722](https://doi.org/10.1001/jamanetworkopen.2020.19722)
- Michalek JE, Preuss HG, Croft HA et al. (2011):
Changes in total body bone mineral density following a common bone health plan with two versions of a unique bone health supplement: a comparative effectiveness research study. *Nutr J*; 10: 32. DOI: [10.1186/1475-2891-10-32](https://doi.org/10.1186/1475-2891-10-32)
- Mileva M, Galabov AS (2018):
Vitamin E and Influenza Virus Infection. In: Morales-Gonzalez JA: *Vitamin E in Health and Disease*. IntechOpen. DOI: [10.5772/intechopen.80954](https://doi.org/10.5772/intechopen.80954)
- Mileva M, Galabov AS (2018):
Vitamin E and Influenza Virus Infection. In: Morales-Gonzalez JA: *Vitamin E in Health and Disease*. IntechOpen. DOI: [10.5772/intechopen.80954](https://doi.org/10.5772/intechopen.80954)
- Moß, Wabisch, Schnabel (o.J.):
VITAMIN D-Versorgung in Deutschland. Berufsverband der Kinder- und Jugendärzte e. V. Flyer.
- MRI (Max Rubner-Institut), Bundesforschungsinstitut für Ernährung und Lebensmittel (2008):
Nationale Verzehrsstudie II. Ergebnisbericht Teil 2. Die bundesweite Befragung zur Ernährung von Jugendlichen und Erwachsenen. URL: http://www.mri.bund.de/fileadmin/Institute/EV/NVSII_Abschlussbericht_Teil_2.pdf

- Murdaca G, Tonacci A, Negrini S, et al. (2019):
Emerging role of vitamin D in autoimmune diseases: An update on evidence and therapeutic implications. *Autoimmun Rev.* 2019;18(9):102350. DOI: [10.1016/j.autrev.2019.102350](https://doi.org/10.1016/j.autrev.2019.102350)
- Musavi H, Abazari O, Barartabar Z et al. (2020):
The benefits of Vitamin D in the COVID-19 pandemic: biochemical and immunological mechanisms. *Arch Physiol Biochem.* 2020 Oct 8:1-9. DOI: [10.1080/13813455.2020.1826530](https://doi.org/10.1080/13813455.2020.1826530). Epub ahead of print.
- Myers A, McComsey G (2021):
Simplifying the COVID Puzzle: How Two Essential Vitamins Fortify the Immune System - Research Update and Marketplace Opportunities. Präsentation des NBJ Summit, 2021
- National Institutes of Health (2021b):
Vitamin E - Fact Sheet for Consumers. 22.03.2021. URL: <https://ods.od.nih.gov/factsheets/VitaminE-Consumer/> (06.10.2021)
- Nationale Institutes of Health (2021a):
Vitamin D. Fact Sheet for Health Professionals. 17.08.2021. URL: <https://ods.od.nih.gov/factsheets/VitaminD-HealthProfessional/> (06.10.2021).
- Niedermaier T, Gredner T, Kuznia S, et al. (2022):
Vitamin D food fortification in European countries: the underused potential to prevent cancer deaths. *Eur J Epidemiol*; 37(4):309-320. DOI: [10.1007/s10654-022-00867-4](https://doi.org/10.1007/s10654-022-00867-4)
- Niedermaier T, Gredner T, Kuznia S, Schöttker B, Mons U, Brenner H (2021):
Vitamin D supplementation to the older adult population in Germany has the cost-saving potential of preventing almost 30,000 cancer deaths per year. *Mol Oncol.* 2021;15(8):1986-1994. DOI: [10.1002/1878-0261.12924](https://doi.org/10.1002/1878-0261.12924)
- Nogués X, Ovejero D, Quesada-Gomez JM, et al. (2021):
Calcifediol Treatment and COVID-19-Related Outcomes. SSRN, 22.01.2021. URL: <https://ssrn.com/abstract=3771318> (07.10.2021)
- Nutt (2021):
More than 71,000 Scots given four months' free vitamin D. *The National*, 14.01.2021. URL: <https://www.thenational.scot/news/19009358.71-000-scots-given-four-months-free-vitamin-d/> (07.10.2021)
- Pereira M, Dantas Damascena A, Galvão Azevedo LM et al. (2020):
Vitamin D deficiency aggravates COVID-19: systematic review and meta-analysis. [published online ahead of print, 2020 Nov 4]. *Crit Rev Food Sci Nutr.* 2020;1-9. DOI: [10.1080/10408398.2020.1841090](https://doi.org/10.1080/10408398.2020.1841090)
- Pivin E, Ponte B, Pruijm M et al. (2015):
Inactive Matrix Gla-Protein Is Associated With Arterial Stiffness in an Adult Population-Based Study. *Hypertension.* 2015;66(1):85-92. DOI: [10.1161/HYPERTENSIONAHA.115.05177](https://doi.org/10.1161/HYPERTENSIONAHA.115.05177)
- Plaza SM, Lamson DW (2005):
Vitamin K2 in bone metabolism and osteoporosis. *Altern Med Rev*; 10(1): 24-35.
- Pojsupap S, Iliriani K, Sampaio TZ, et al. (2015):
Efficacy of high-dose vitamin D in pediatric asthma: a systematic review and meta-analysis. *J Asthma.* 2015;52(4):382-390. DOI: [10.3109/02770903.2014.980509](https://doi.org/10.3109/02770903.2014.980509)
- Pojsupap S, Iliriani K, Sampaio TZ, et al. (2015):
Efficacy of high-dose vitamin D in pediatric asthma: a systematic review and meta-analysis. *J Asthma*; 52(4):382-390. DOI: [10.3109/02770903.2014.980509](https://doi.org/10.3109/02770903.2014.980509)
- Porto CM, Silva VL, da Luz JSB, Filho BM, da Silveira VM (2017):
Association between vitamin D deficiency and heart failure risk in the elderly. *ESC Heart Fail.* 2018;5(1):63-74. DOI: [10.1002/ehf2.12198](https://doi.org/10.1002/ehf2.12198)
- Quesada-Gomez JM, Entrenas-Castillo M, Bouillon R (2020):
Vitamin D receptor stimulation to reduce acute respiratory distress syndrome (ARDS) in patients with coronavirus SARS-CoV-2 infections: Revised Ms SBMB 2020_166. *The Journal of Steroid Biochemistry and Molecular Biology*; 202: 105719. DOI: [10.1016/j.jsbmb.2020.105719](https://doi.org/10.1016/j.jsbmb.2020.105719)

- Rabenberg M, Scheidt-Nave C, Busch MA et al. (2015):
Vitamin D status among adults in Germany--results from the German Health Interview and Examination Survey for Adults (DEGS1). *BMC Public Health*. 2015; 15:641. DOI: [10.1186/s12889-015-2016-7](https://doi.org/10.1186/s12889-015-2016-7)
- Rabenberg M, Scheidt-Nave C, Busch MA, Rieckmann N, Hintzpeter B, Mensink GB (2015): Vitamin D status among adults in Germany--results from the German Health Interview and Examination Survey for Adults (DEGS1). *BMC Public Health*; 15: 641. DOI: [10.1186/s12889-015-2016-7](https://doi.org/10.1186/s12889-015-2016-7)
- Radujkovic A, Hippchen T, Tiwari-Heckler S et al. (2020):
Vitamin D Deficiency and Outcome of COVID-19 Patients. *Nutrients*; 12(9):2757. Published 2020 Sep 10. DOI: [10.3390/nu12092757](https://doi.org/10.3390/nu12092757)
- Raed A, Bhagatwala J, Zhu H et al. (2017):
Dose responses of vitamin D3 supplementation on arterial stiffness in overweight African Americans with vitamin D deficiency: A placebo controlled randomized trial. *PLoS One*; 12(12): e0188424. DOI: [10.1371/journal.pone.0188424](https://doi.org/10.1371/journal.pone.0188424)
- Raloff J (2006):
The Antibiotic Vitamin. *Science News*; 170: 312-317. DOI: [10.2307/4017406](https://doi.org/10.2307/4017406)
- Raulio S, Erlund I, Männistö S, et al. (2017):
Successful nutrition policy: improvement of vitamin D intake and status in Finnish adults over the last decade. *Eur J Public Health*; 27(2):268-273. DOI: [10.1093/eurpub/ckw154](https://doi.org/10.1093/eurpub/ckw154)
- Rhodes JM, Subramanian S, Laird E, Kenny RA (2020):
Editorial: low population mortality from COVID-19 in countries south of latitude 35 degrees North supports vitamin D as a factor determining severity. *51(12):1434-1437*. DOI: [10.1111/apt.15777](https://doi.org/10.1111/apt.15777)
- RKI (2019):
Antworten des Robert Koch-Instituts auf häufig gestellte Fragen zu Vitamin D. Robert Koch-Institut, 25.01.2019. URL: https://www.rki.de/SharedDocs/FAQ/Vitamin_D/Vitamin_D_FAQ-Liste.html (20.01.2021)
- Sadarangani SP, Whitaker JA, Poland GA (2015):
"Let there be light": the role of vitamin D in the immune response to vaccines. *Expert Rev Vaccines*; 14(11):1427-40. DOI: [10.1586/14760584.2015.1082426](https://doi.org/10.1586/14760584.2015.1082426)
- Saeglitz C (2007):
Mangelernährung bei geriatrischen Patienten im Krankenhaus-Prävalenz, mögliche Ursachen, übliche Therapie und prognostische Bedeutung. Dissertation Universität Bonn, 12.04.2007. URL: <https://hdl.handle.net/20.500.11811/2726> (07.10.2021)
- Sarkar S, Hewison M, Studzinski GP, Li YC, Kalia V (2016):
Role of vitamin D in cytotoxic T lymphocyte immunity to pathogens and cancer. *Crit Rev Clin Lab Sci*; 53(2):132-145. DOI: [10.3109/10408363.2015.1094443](https://doi.org/10.3109/10408363.2015.1094443)
- Schilling S (2012):
Epidemischer Vitamin-D-Mangel bei Patienten einer geriatrischen Rehabilitationsklinik. *Deutsches Ärzteblatt*; 109(3): 33-38. DOI: [10.3238/arztebl.2012.0033](https://doi.org/10.3238/arztebl.2012.0033)
- Schöttker B, Jorde R, Peasey A, et al. (2014):
Vitamin D and mortality: meta-analysis of individual participant data from a large consortium of cohort studies from Europe and the United States. *BMJ*; 348:g3656. Published 2014 Jun 17. DOI: [10.1136/bmj.g3656](https://doi.org/10.1136/bmj.g3656)
- Schurgers LJ, Barreto DV, Barreto FC, et al. (2010):
The circulating inactive form of matrix gla protein is a surrogate marker for vascular calcification in chronic kidney disease: a preliminary report. *Clin J Am Soc Nephrol*; 5(4): 568-575. DOI: [10.2215/CJN.07081009](https://doi.org/10.2215/CJN.07081009)
- Schurgers LJ, Spronk HM, Soute BA et al. (2007a):
Regression of warfarin-induced medial elastocalcinosis by high intake of vitamin K in rats. *Blood*; 109(7): 2823-2831. DOI: [10.1182/blood-2006-07-035345](https://doi.org/10.1182/blood-2006-07-035345)
- Schurgers LJ, Teunissen KJ, Hamulyák K et al. (2007b):
Vitamin K-containing dietary supplements: comparison of synthetic vitamin K1 and natto-derived menaquinone-7. *Blood*; 109(8): 3279-3283. DOI: [10.1182/blood-2006-08-040709](https://doi.org/10.1182/blood-2006-08-040709)

- Siddiqui M, Manansala JS, Abdulrahman HA, et al. (2020):
Immune Modulatory Effects of Vitamin D on Viral Infections. *Nutrients*. 2020 Sep 21;12(9):2879. DOI: [10.3390/nu12092879](https://doi.org/10.3390/nu12092879)
- Simonsohn B (2020):
Das Basische Prinzip: Dr. Jacobs Schutzformel gegen die größten Gesundheitskiller unserer Zeit. Mankau Verlag, 2. Auflage. ISBN-978-3-86374-541-7.
- Singh I, Turner AH, Sinclair AJ, Li D, Hawley JA (2007):
Effects of gamma-tocopherol supplementation on thrombotic risk factors. *Asia Pac J Clin Nutr*; 16(3):422-428.
- Sowah D, Fan X, Dennett L, Hagtvedt R, Straube S (2017):
Vitamin D levels and deficiency with different occupations: a systematic review. *BMC Public Health*; 17(1): 519. DOI: [10.1186/s12889-017-4436-z](https://doi.org/10.1186/s12889-017-4436-z)
- Spiro A, Buttriss JL (2014):
Vitamin D: An overview of vitamin D status and intake in Europe. *Nutr Bull*; 39(4): 322-350. DOI: [10.1111/nbu.12108](https://doi.org/10.1111/nbu.12108)
- Suleiman L, Negrier C, Boukerche H (2013):
Protein S: a multifunctional anticoagulant vitamin K-dependent protein at the crossroads of coagulation, inflammation, angiogenesis, and cancer. *Crit Rev Oncol Hematol*; 88(3): 637–654. DOI: [10.1016/j.critrevonc.2013.07.004](https://doi.org/10.1016/j.critrevonc.2013.07.004)
- Suleiman L, Negrier C, Boukerche H (2013):
Protein S: a multifunctional anticoagulantvitamin K-dependent protein at the crossroads of coagulation, inflammation, angiogenesis, and cancer. *Crit Rev Oncol Hematol*; 88(3): 637–654. DOI: [10.1016/j.critrevonc.2013.07.004](https://doi.org/10.1016/j.critrevonc.2013.07.004)
- Tarazona-Santabalbina FJ, Cuadra L, Cancio JM, et al. (2021):
VitaminD supplementation for the prevention and treatment of COVID-19: a position statement from the Spanish Society of Geriatrics and Gerontology. *Rev Esp Geriatr Gerontol*. 2021;56(3):177-182. DOI: [10.1016/j.regg.2021.02.001](https://doi.org/10.1016/j.regg.2021.02.001)
- Taylor SN (2020): Vitamin D in Toddlers, Preschool Children, and Adolescents. *Ann Nutr Metab*. 2020;76 Suppl 2:30-41. DOI: [10.1159/000505635](https://doi.org/10.1159/000505635)
- Theuwissen E, Teunissen KJ, Spronk HM et al. (2013):
Effect of low-dose supplements of menaquinone-7 (vitamin K2) on the stability of oral anticoagulant treatment: dose-response relationship in healthy volunteers. *J Thromb Haemost*; 11(6): 1085-1092. DOI: [10.1111/jth.12203](https://doi.org/10.1111/jth.12203)
- Thomas GN, ó Hartaigh B, Bosch JA, et al. (2012):
Vitamin D levels predict all-cause and cardiovascular disease mortality in subjects with the metabolic syndrome: the Ludwigshafen Risk and Cardiovascular Health (LURIC) Study. *Diabetes Care*; 35(5): 1158-1164. DOI: [10.2337/dc11-1714](https://doi.org/10.2337/dc11-1714)
- Tripkovic L, Wilson LR, Hart K et al. (2017):
Daily supplementation with 15 µg vitamin D2 compared with vitamin D3 to increase wintertime 25-hydroxyvitamin D status in healthy South Asian and white European women: a 12-wk randomized, placebo-controlled food-fortification trial. *Am J Clin Nutr*; 106(2): 481-490. DOI: [10.3945/ajcn.116.138693](https://doi.org/10.3945/ajcn.116.138693)
- Tsukamoto Y, Ichise H, Yamaguchi M (2000):
Prolonged intake of dietary fermented soybeans (natto) with the reinforced vitamin K2 (menaquinone-7) enhances circulating γ-carboxylated osteocalcin concentration in normal individuals. *Journal of Health Science*; 46(4): 317-321.
- USDA (United States Department of Agriculture) (2015):
Agricultural Research Service. National Nutrient Database for Standard Reference Release 28. URL: <http://ndb.nal.usda.gov/ndb/search/list> (07.01.2016).

- Uwitonze AM, Razzaque MS (2018):
Role of Magnesium in Vitamin D Activation and Function. *J Am Osteopath Assoc*; 118: 181-189. DOI: [10.7556/jaoa.2018.037](https://doi.org/10.7556/jaoa.2018.037)
- van Ballegooijen AJ, Beulens JWJ, Kieneker LM, et al. (2020):
Combined low vitamin D and K status amplifies mortality risk: a prospective study. *Eur J Nutr* 60, 1645–1654 (2021). DOI: [10.1007/s00394-020-02352-8](https://doi.org/10.1007/s00394-020-02352-8)
- Vashi PG, Gupta D, Trukova K, Lambert GM, Lammersfeld C (2013):
The association between pre-treatment serum 25-hydroxyvitamin D and survival in stage IV prostate cancer. *J Clin Oncol*; 31: 15 (Suppl; abs 5036). DOI: [10.1200/jco.2013.31.15_suppl.5036](https://doi.org/10.1200/jco.2013.31.15_suppl.5036)
- Veldman CM, Cantorna MT, DeLuca HF. (2000):
Expression of 1,25-dihydroxyvitamin D(3) receptor in the immune system. *Arch Biochem Biophys*; 374:334–338. DOI: [10.1006/abbi.1999.1605](https://doi.org/10.1006/abbi.1999.1605)
- Vermeer C (2012):
Vitamin K: the effect on health beyond coagulation - an overview. *Food Nutr Res*; 56: 5329. DOI: [10.3402/fnr.v56i0.5329](https://doi.org/10.3402/fnr.v56i0.5329)
- Vieth R (2004):
Enzyme kinetics hypothesis to explain the U-shaped risk curve for prostate cancer vs. 25-hydroxyvitamin D in nordic countries. *Int J Cancer*; 111(3): 468; author reply 469. DOI: [10.1002/ijc.20218](https://doi.org/10.1002/ijc.20218)
- Vieth R (2009):
How to optimize vitamin D supplementation to prevent cancer, based on cellular adaptation and hydroxylase enzymology. *Anticancer Res*; 29(9): 3675-3684.
- Villares A, Mateo-Vivaracho L, García-Lafuente A, Guillamón E (2014):
Storage temperature and UV-irradiation influence on the ergosterol content in edible mushrooms. *Food Chem*; 147: 252-256. DOI: [10.1016/j.foodchem.2013.09.144](https://doi.org/10.1016/j.foodchem.2013.09.144)
- von Essen MR, Kongsbak M, Schjerling P, Olgaard K, Ødum N, Geisler C (2010):
Vitamin D controls T cell antigen receptor signaling and activation of human T cells. *Nature Immunology*; 11: 344–349. DOI: [10.1038/ni.1851](https://doi.org/10.1038/ni.1851)
- Wang M, Liu M, Wang C, et al. (2019):
Association between vitamin D status and asthma control: A meta-analysis of randomized trials. *Respir Med*. 2019; 150:85-94. DOI: [10.1016/j.rmed.2019.02.016](https://doi.org/10.1016/j.rmed.2019.02.016)
- Weete JD, Abril M, Blackwell M (2010):
Phylogenetic distribution of fungal sterols. *PLoS One*; 5(5): e10899. DOI: [10.1371/journal.pone.0010899](https://doi.org/10.1371/journal.pone.0010899)
- Weng Y, Yao J, Sparks S, Wang KY (2017):
Nattokinase: An Oral Antithrombotic Agent for the Prevention of Cardiovascular Disease. *Int J Mol Sci*. 2017;18(3):523. Published 2017 Feb 28. DOI: [10.3390/ijms18030523](https://doi.org/10.3390/ijms18030523)
- White C, Nafilyan V (2020):
Coronavirus (COVID-19) related deaths by ethnic group, England and Wales: 2 March 2020 to 10 April 2020. Office for National Statistics, 07.05.2020. URL: <https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/articles/coronavirusrelateddeathsbyethnicgroupenglandandwales/2march2020to10april2020> (21.10.2020)
- Williams J, Williams C (2020):
Responsibility for vitamin D supplementation of elderly care home residents in England: falling through the gap between medicine and food. *BMJ Nutr Prev Health*. 2020;3(2):256-262. Published 2020 Oct 12. DOI: [10.1136/bmjnp-2020-000129](https://doi.org/10.1136/bmjnp-2020-000129)
- Worldometers (2021):
COVID-19 Coronavirus Pandemic. URL: <https://www.worldometers.info/coronavirus/> (10.03.2021)
- Yip KH, Kolesnikoff N, Yu C, et al. (2014):
Mechanisms of vitamin D₃ metabolite repression of IgE-dependent mast cell activation. *J Allergy Clin Immunol*. 2014;133(5):1356-1365. DOI: [10.1016/j.jaci.2013.11.030](https://doi.org/10.1016/j.jaci.2013.11.030)

Zasloff M (2006):

Inducing endogenous antimicrobial peptides to battle infections. *Proc Natl Acad Sci USA*; 103: 8913-8914.
DOI: [10.1073/pnas.0603508103](https://doi.org/10.1073/pnas.0603508103)

Zeichner SB, Koru-Sengul T, Shah N et al. (2015):

Improved clinical outcomes associated with vitamin D supplementation during adjuvant chemotherapy in patients with HER2+ nonmetastatic breast cancer. *Clin Breast Cancer*; 15(1): e1-11. DOI: [10.1016/j.clbc.2014.08.001](https://doi.org/10.1016/j.clbc.2014.08.001)

Zhou F, Yu T, Du R, et al. (2020a):

Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. *Lancet*; 395(10229): 1054-1062. DOI: [10.1016/S0140-6736\(20\)30566-3](https://doi.org/10.1016/S0140-6736(20)30566-3)

Zhou J, Du J, Huang L, Wang Y, Shi Y, Lin H (2018):

Preventive Effects of Vitamin D on Seasonal Influenza A in Infants: A Multicenter, Randomized, Open, Controlled Clinical Trial. *Pediatr Infect Dis J*. 2018;37(8):749-754. DOI: [10.1097/INF.0000000000001890](https://doi.org/10.1097/INF.0000000000001890)

Zhou P, Yang XL, Wang XG, et al. (2020b):

A pneumonia outbreak associated with a new coronavirus of probable bat origin. *Nature* 579: 270–273.
DOI: [10.1038/s41586-020-2012-7](https://doi.org/10.1038/s41586-020-2012-7)

Zittermann A, von Helden R, Grant W, Kipshoven C, Ringe JD (2009):

An estimate of the survival benefit of improving vitamin D status in the adult German population. *Dermatoendocrinol*; 1(6): 300-306. DOI: [10.4161/derm.1.6.10970](https://doi.org/10.4161/derm.1.6.10970)